

HP Integrity rx2600 server



Demand more—more accountability, more agility, and a better return on IT—to build your adaptive enterprise with the industry-leading HP Integrity rx2600 server.

Based on the revolutionary Intel® Itanium® 2 processor, co-developed by HP and Intel, the HP Integrity server reduces platform costs, enables higher performance and scalability, and provides the flexibility you need to build an adaptive enterprise. HP Integrity servers are easily outpacing the performance of classic RISC-based systems by providing more power, more applications, additional features, and a broader range of solutions.

The HP Integrity rx2600 server, powered by one to two Intel Itanium 2 processors, improves price/performance in enterprise HP-UX, Linux, OpenVMS Evaluation Release, or Windows® environments and provides a cost-effective yet powerful entry into a technology with tremendous growth potential.

To meet today's computing demands, a new era of high-performance computing has begun, and HP is leading the industry with second-generation Itanium® 2-based servers.





Increase business agility with high-performance, low-cost HP Integrity servers

With Intel Itanium 2 processors and up to 24 GB of memory, the 2-way HP Integrity rx2600 server helps you achieve better performance, improve business processes, and manage your IT more efficiently. The HP Integrity rx2600 server empowers technical computing users to do more simulations, do more in-depth analysis, run complex models faster, and render high-quality images with optimized performance. Commercial computing users will run their applications with superior performance, decreased costs, and reduced complexity.

Extensive Itanium-based systems experience and co-developer insights resulted in unmatched HP system performance gains through the development of the HP Scalable Processor Chipset zx1. Invented by HP, the HP zx1 Chipset fully unleashes the power of Intel Itanium 2 processors by lowering memory latencies and increasing memory and I/O subsystem scalability. With the HP zx1 Chipset, Itanium 2-based HP Integrity servers achieve industry-leading performance and memory expandability.

The performance achieved through the Intel Itanium processor itself and the accompanying HP zx1 Chipset is further enhanced when Integrity rx2600 servers are used in a clustering solution. Because each Integrity rx2600 server is only 3.5 inches high (2U), clustering multiple Integrity rx2600 servers packs unprecedented performance into a densely racked, low-priced solution. Clusters allow the consolidation of system resources such as I/O, bandwidth, memory, mass storage, and compute capacity. The Integrity rx2600 server cluster solutions also

ensure data integrity, improve application availability, and minimize planned maintenance time. Regardless of your choice of HP-UX, Linux, OpenVMS Evaluation Release, or Windows, HP has a powerful, flexible, highly available, and easily managed cluster solution to meet your needs.

Evolve your infrastructure confidently with a partner that stands accountable

When you're ready to take advantage of the performance improvements Itanium-based computing offers, HP has a full range of services to help make the transition as seamless as possible. We'll help you quickly and confidently introduce Integrity servers into your existing IT environment and fully utilize their potential for your business. We offer assessment services to precisely define porting requirements and chart a course to deployment, implementation services to install and configure equipment rapidly, and education services to provide your staff with the expertise required to achieve superior system performance. Throughout the transition process, HP accepts full accountability for delivering on the service commitments that we and our partners have made. And our commitment to your satisfaction doesn't stop with the transition process itself. Our support offerings—from simple reactive to comprehensive mission-critical support—reduce the risks associated with downtime once your HP Integrity server systems are installed. We are looking ahead to help you achieve long-term success by working with leading independent software vendors (ISVs) in both the technical and commercial markets to optimize their applications to the Intel Itanium 2 architecture, thereby exploiting the full potential of your HP Integrity server systems.

	Features	Benefits
Leading performance and agility	<ul style="list-style-type: none"> • Latest generation of Intel Itanium 2 processors 	<ul style="list-style-type: none"> • Higher performance than today's RISC and x86 platforms and significant performance improvement over the previous Intel Itanium 2 processor version
	<ul style="list-style-type: none"> • HP zx1 Chipset 	<ul style="list-style-type: none"> • Blazing fast application performance and unmatched memory scalability
	<ul style="list-style-type: none"> • Performance clustering capabilities with manageability features 	<ul style="list-style-type: none"> • Enables massively scalable systems from low end up to supercomputers
Vendor accountability	<ul style="list-style-type: none"> • PA-RISC- and IA-32-based applications are binary compatible with Itanium-based platforms 	<ul style="list-style-type: none"> • Ease of transition from today's platforms to the new generation of industry-standard computing • Customer and ISV applications can run unmodified on HP Integrity servers
	<ul style="list-style-type: none"> • Comprehensive transition services include planning, porting and migration, implementation, support, and education 	<ul style="list-style-type: none"> • HP can help guide your evolution to HP Integrity server systems quickly and easily
	<ul style="list-style-type: none"> • Complete high availability and business continuity solutions to bulletproof systems and data centers, keeping them up and running when you need them most 	<ul style="list-style-type: none"> • Ensures data integrity • Maximizes application availability • Minimizes planned maintenance time
	<ul style="list-style-type: none"> • Comprehensive high availability services 	<ul style="list-style-type: none"> • Offers choice of services to meet whatever availability needs are required for mission-critical environments
Better return on your IT investment	<ul style="list-style-type: none"> • Architecture of the future working for you today 	<ul style="list-style-type: none"> • Provides the performance you need for decades to come • Growing faster than all other microprocessor architectures
	<ul style="list-style-type: none"> • Easy upgrade path to future Intel Itanium processors 	<ul style="list-style-type: none"> • In-box upgrade from current to future Intel Itanium 2 processors • A simple transition to future performance and total-cost-of-ownership improvements
	<ul style="list-style-type: none"> • Choice of operating systems (HP-UX, Linux, OpenVMS Evaluation Release, and Windows) 	<ul style="list-style-type: none"> • Supports the right operating system for the right job while lowering IT costs
	<ul style="list-style-type: none"> • Flexible financing programs 	<ul style="list-style-type: none"> • Conserve capital • Align costs with business benefits • Enjoy tax and accounting benefits
	<ul style="list-style-type: none"> • A single management tool to manage HP servers with your operating system of choice 	<ul style="list-style-type: none"> • Easy integration of HP Integrity servers into your existing computing environment • More stability and efficiency through common and comprehensive management across HP hardware platforms and key operating systems

Maximize your return on investment

Itanium-based solutions have broad industry support and early lifecycle longevity. By choosing the HP Integrity rx2600 server now, you are assured of long-term performance gains and seamless upgrades to meet your changing business needs. Because HP offers you the flexibility to choose between HP-UX, Linux, OpenVMS Evaluation Release, and Windows operating systems, you have piece of mind in knowing you are getting outstanding investment protection. HP Integrity servers allow you to choose the operating system that best meets your needs now and exchange operating systems as your business needs change. This is important because some applications are only available—or are more economical—on a particular operating system. In addition, HP's experience as co-developer of the Intel Itanium Processor Family architecture ensures a seamless transition with 32- and 64-bit application binary

compatibility. For breakthrough flexibility, applications currently based on HP-UX, 32-bit Windows, and Linux are binary compatible with HP Integrity server platforms.

HP is the only vendor to offer a proven mission-critical, enterprise-quality UNIX® operating system for Itanium-based systems. HP-UX 11i offers unsurpassed scalability, reliability, manageability, availability, and security. HP-UX 11i for HP Integrity servers even has the ability to execute HP 9000 applications using built-in HP dynamic code translation technology.

The HP Integrity rx2600 server includes all of the management, availability, and security features you typically expect to find running in HP-UX, Linux, or Windows environments. These features include the tools you need to monitor, deploy, and optimize your servers and solutions for high availability—providing superior utilization of computing resources.

Technical specifications

Performance/Scalability/Flexibility

1 to 2 Intel Itanium 2 processors
Clock frequency 1.5 GHz, 1.4 GHz, 1.3 GHz, and 1.0 GHz
System bus bandwidth 6.4 GB/s

Operating systems

HP-UX 11i v2
Microsoft® Windows Server 2003, Enterprise Edition for Itanium 2–based systems
Red Hat Linux Advanced Server for the Intel Itanium processor
SUSE Enterprise Linux 8 for Intel Itanium 2 processors

Cache (on-chip)

Level 1 cache	32 KB
Level 2 cache	256 KB
Level 3 cache	6 MB (1.5 GHz), 3 MB (1.3 GHz), 1.5 MB (1.4 GHz and 1.0 GHz)

Expansion slots

PCI-X slots	4 full-length
I/O bandwidth	64-bit/133 MHz PCI-X 4.0 GB/s

Main memory

Bus bandwidth	8.5 GB/s
RAM type	PC2100 ECC Registered DDR266A SDRAM
Capacity	24 GB max
Memory slots	12 DIMM slots
Memory latency	78 ns

Core I/O interconnect

10/100/1000BT LAN
10/100BT LAN
10/100BT management LAN
Ultra320 SCSI
RS-232 serial ports
VGA
USB

Internal storage devices

Internal bays	3 hot-plug SCSI disk bays
Disk offerings	36 GB (15K rpm) 73 GB (15K rpm) 146 GB (10K rpm)
Maximum storage	438 GB
Removable media	1 open bay for DVD-ROM or DVD/CD+RW

Peak performance

Per processor	6 GFLOPS (1.5 GHz) 5.2 GFLOPS (1.3 GHz)
---------------	--

High Performance Technical Computing capabilities

hptc/ClusterPack for distributed workload management
HP-UX Technical Computing Operating Environment (including HP MLIB and HP MPI)
MSC.Linux—Linux distribution for compute clusters deployed in CAE environments

The most complete Itanium-based solution from the most experienced vendor of Itanium-based systems in the industry

High availability

- N+1 redundant hot-swap power supplies (N=2)
- N+1 fans
- ECC on memory and caches
- Memory chip spare
- Automatic de-configuration of memory and processors
- Service processor to monitor system status

High availability and business continuity solutions (optional)

- HP Serviceguard for HP-UX
- HP Serviceguard Extension for RAC for HP-UX
- HP Serviceguard Extension for SAP for HP-UX
- HP Serviceguard Manager for HP-UX clusters
- HP Event Monitoring Service HA Monitors for HP-UX
- High Availability Toolkits for HP-UX
- HP Mirrordisk/UX
- HP Extended Campus Cluster for HP-UX
- Microsoft Cluster Service for Windows Server 2003, Enterprise Edition
- HP Cluster Verification Tool for Windows Cluster Service

Manageability

Multi-OS management tools

- HP Systems Insight Manager delivers centralized fault, configuration, performance, and inventory management for all HP servers. It replaces Servicecontrol Manager and Insight Manager 7.
- Management Processor for comprehensive remote server management

Linux management tools

- HP Enablement Kit for Linux

HP-UX management tools

- HP Ignite-UX for installation and deployment of the HP-UX operating system
- HP Software Distributor-UX for HP-UX software and patch management
- HP System Administration Manager for HP-UX system administration
- HP Event Monitoring Service
- HP-UX Kernel Configuration for easy, dynamic kernel parameter changes
- Process Resource Manager for HP-UX resource management (optional)
- HP-UX Workload Manager for workload management based upon prioritized service-level objectives (optional)

HP Integrity rx2600 server

The breakthrough flexibility of HP Integrity multi-OS servers allows them to be deployed and redeployed as your needs evolve, for a “future-proof” IT infrastructure

Environmental specifications

Altitude

Operating max. 10,000 ft. (3048 m)
Non-operating max. 15,000 ft. (4572 m)

Physical dimensions (rack form factor)

Height 3.4 in. (86 mm)/2U EIA
Width 19 in. (482 mm)
Depth 26.8 in. (680 mm)

Temperature (Fahrenheit and Celsius)

Operating max. +41° to +95° F (+5° to +35° C)
Non-operating max. -40° to +158° F (-40° to +70° C)

Net weight

Maximum configuration 56 lb. (25.4 kg)

Humidity

Operating 15% to 80% relative

Power requirements

Input current 100–127 V ~8.0 A
200–240 V ~3.9 A
(autoranging)
Line frequency 50–60 Hz
Maximum power input 714 W

Physical dimensions (pedestal form factor)

Height 19.5 in. (495 mm)
Width 11.7 in. (297 mm)
Depth 26.5 in. (672 mm)

Power supply

Maximum output 650 W

© 2003–2004 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Intel, Itanium, and Itanium Processor Family are trademarks or registered trademarks of Intel Corporation in the U.S. and other countries and are used under license. Microsoft and Windows are U.S. registered trademarks of Microsoft Corporation. UNIX is a registered trademark of The Open Group.

To learn more, visit www.hp.com/go/integrity

5981-7543EN Rev. 2, 01/12/2004

